



# TYPE APPROVAL CERTIFICATE

Certificate No:  
**TAA00002EZ**  
Revision No:  
**1**

## This is to certify:

### That the Satellite communication

with type designation(s)  
**BlueTraker LRIT, BlueTraker LRIT Arctic**

Issued to  
**EMA d.o.o.**  
**Celje, Slovenia**

is found to comply with  
**IEC 60945 Ed. 4 (2002-08) Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results**  
**IMO Res. A.694(17) General requirements for shipborne radio equipment forming part of the global maritime distress and safety system (GMDSS) and for electronic navigational aids**  
**IMO Resolution MSC.147(77) Revised Performance Standards for a Ship Security Alert System**  
**DNV statutory interpretations DNV-SI-0364 – SOLAS interpretations, Edition July 2021**

## Application :

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.

Type	Temperature	Humidity	Vibration	EMC	Enclosure
BlueTraker LRIT	D	B	A	B	C
BlueTraker LRIT Arctic	D	B	A	B	C

Issued at **Høvik** on **2023-05-30**

for **DNV**

This Certificate is valid until **2024-08-07**.

DNV local unit: **Rijeka**

Approval Engineer: **Uwe Supke**

.....  
**Frederik Tore Elter**  
**Head of Section**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



## Product description

Long Range Identification and Tracking (LRIT) shipborne unit based on Iridium satellite network transceiver with integrated GNSS receiver.

Power supply:

- BlueTraker LRIT: 12/24 VDC nominal (8 VDC to 36 VDC range)

- BlueTraker LRIT Arctic: 24 VDC nominal (21 VDC to 36 VDC range)

Degree of protection: IP68 (depth 6 m, duration 0,5 h)

Temperature range: -25 °C to +55 °C

Temperature range (Arctic): -50 °C to +55 °C

Software Version:

- Firmware 160.0.xxx, 136.0.xxx (xxx denotes build number)

## Application/Limitation

The BlueTraker LRIT (Arctic) is to be used according to the manufacturer's guidelines and is not to be used in areas requiring intrinsically safe equipment.

## Type Approval documentation

Test reports:

SIQ T223-0682/16 A1, dated 2017-05-17

BSH Certificate No. 1115, dated 2022-04-29

Koncar 21583ALL23001, dated 2023-04-05

Manuals:

Installation Manual (11953) V1.3.8, May 2023

## Tests carried out

- Environmental testing: IEC 60945 (2002) incl. Corr.1 (2008)
- Performance testing: MSC.263(84); MSC.147(77); MSC.1/Circ.1307; A.694(17)

## Marking of product

The Manufacturer and Type Designation to be applied to the equipment in a clearly visible location. In addition the equipment shall be marked with serial number, safe distance to magnetic compass, power consumption and/or supply voltage.

## Periodical assessment

The scope of the periodical/renewal assessment is to verify that the production quality conditions stipulated for the type approval are complied with and that no alterations are made to the product design or its components and/or materials without appraisal by the Society.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE